Dance/Movement Therapy & Eating Disorders



"Healing cannot fully take place unless individuals are able to challenge themselves to live in their bodies, a central component of their body image."

Dance/movement therapy (DMT) serves as a powerful medium for people suffering with eating disorders to explore their relationship to their bodies. A characteristic of eating disorders is the tendency to detach from feelings and focus on body distortions, obsessive thoughts and concrete, black and white thinking. DMT provides a way to safely become more aware of feelings that arise from the body's sensations, and teaches people with eating disorders how to listen to their body's needs. This is critical to recovery. People with eating disorders also can become socially isolated. The relationship focus of DMT, both in group and individual formats, helps the individual risk connecting to others in supported, honest and meaningful ways. Discoveries made in DMT--about one's own mind/body connection and about relating to others-- transfer to other relationships and how one moves through life.

When everyday movements are transformed into expressive movements, participants become able to release and externalize their feelings. In this creative process it becomes possible to find the metaphoric connections between the expressive movement and the familiar patterns in their lives that may underlie the eating disorder. DMT helps people understand how their feelings are given form through their actions, and empowers them to take risks. Healing cannot fully take place unless they are able to challenge themselves to live in their bodies, a central component of their body image. DMT provides a structure so that this can occur.

DMT is used with people with eating disorders in psychiatric hospitals, residential treatment programs, partial hospitalization and outpatient programs, as well as in private practices all around the world.

ADTA Resource Bibliography

DMT & Eating Disorders Resources

Burn, H. (1987). The movement behavior of anorectics: The control issue. *American Journal of Dance Therapy, 10,* 54-76.

Franks, B., & Fraenkel, D. (1991). Fairy tales and dance/movement therapy: Catalysts of change for eating-disordered individuals. *The Arts in Psychotherapy, 18*, 311-319.

Kleinman, S & Hall, T. (2005). Dance movement therapy with women with eating disorders. In F. Levy (Ed.) *Dance/movement therapy, A healing art. Revised Edition* (pp 221-227). Reston, VA: The American Alliance for Health, Physical Education, Recreation, and Dance.

Kleinman, S. & Hall, T. (2006). *Dance/movement therapy: A method for embodying emotions*. The Renfrew Center Foundation Healing Through Relationship Series: Contributions to Eating Disorder Theory and Treatment Volume 1: Fostering Body-Mind Integration. Philadelphia, PA.

Krantz, A. (1999). Growing into her body: Dance/movement therapy for women with eating disorders. *American Journal of Dance Therapy*, 21, 81-103.

Kruger, D., & Schofield, E. (1986). Dance/movement therapy of eating disordered patients: A model. *American Journal of Dance Therapy*, 13, 323-331.

Lausberg H, von Wietersheim J, & Feiereis H. (1996). Movement behavior of patients with eating disorders and inflammatory bowel disease: A controlled study. *Psychotherapy and Psychosomatics*, 65, 272-276.

Naitove, C. (1986). Life's but a walking shadow: Treating anorexia nervosa and bulimia. *The Arts in Psychotherapy, 13,* 107-119.

Pylvainen, P. (2003). Body image: A tripartite model for use in dance/movement therapy. *American Journal of Dance Therapy*, 25(1), 39-55.

Ressler, A., & Kleinman, S. (2006). *Reframing body-image identity in the treatment of eating disorders*. The Renfrew Center Foundation Healing Through Relationship Series: Contributions to Eating Disorder Theory and Treatment, Volume 1: Fostering Body-Mind Integration. Philadelphia, PA.

Rice, J., Hardenbergh, M., & Hornyak, L. (1989). Disturbed body image in anorexia nervosa: Dance/movement therapy interventions. In L. Hornyak & E. Baker (Eds.). Experiential therapies for eating disorders (pp. 259-261). New York: Guilford Press.

Stark, A., Aronow, S., & McGeehan, T. (1989). Dance/movement therapy with bulimic patients. In L. Hornyak & E. Baker (Eds.). *Experiential therapies for eating disorders* (pp. 121-143). New York: Guilford Press.

Totenbier, S. (1995). A new way of working with body image in therapy, Incorporating dance/movement therapy methodology, in D. Doktor (Ed.), *Arts therapies and clients with eating disorders*, Jessica Kingsley: London.

"Dance/movement
therapy is the
psychotherapuetic use
of movement which
furthers the emotional, cognitive, physical
and social integration
of the individual."

-American Dance Therapy Association